

PATH TRACKING FOR AUTONOMOUS FORWARDERS IN FOREST TERRAIN

Ola Lindroos¹, Dimitris Athanassiadis¹, Dan Bergström¹, Thomas Hellström², Tomas Nordfjell¹ and
Ola Ringdahl²

¹Dept. of Forest Resource Management, Swedish University of Agricultural Sciences
SE-901 83
Umeå, Sweden
e-mail: ola.lindroos@srh.slu.se

²Dept. of Computing Science, Umeå University
SE-901 87
Umeå, Sweden
e-mail: ringdahl@cs.umu.se

Keywords: forestry, autonomous vehicles, path tracking, wheel slip

Abstract: *Automation in the agriculture sector has been subject to intensive research for many years, resulting in several farming systems operating with various levels of autonomy. In comparison, automation in forestry is far behind agriculture. This is mainly due to the difficulties involved in navigating unstructured forest terrain, where operation paths are rarely straight or flat and obstacles are common. In forestry the forces driving mechanisation and automation are a lack of workers, the amounts of hard physical work involved, the aspiration to conduct forestry operations year-round and for more hours per day and the desire to reduce costs and lead-times between logging and industrial processing (Sundberg, 1978; Silversides, 1997). Moreover, human performance can limit work efficiency; for instance, the technical potential is not fully used in many machine movements as humans have difficulties to precisely guide machines or machine parts at high speeds for long periods of time (Hellström et al., 2009, Pilarski et al., 2002).*

We have evaluated a system designed to autonomously follow previously demonstrated paths in a forest environment, which is seen as a partial solution in the development of fully autonomous forwarders. The evaluated system consisted of a Valmet 830 forwarder equipped with a high-precision GPS system to measure the vehicle's heading and position. A gyro was used to compensate for the influence of the vehicle's roll and pitch. On a clear-cut forest area with numerous stumps and other obstacles, two different tracks were selected. One track was 74 m long and almost level. The other track was 85 m long with an almost circular shape that made the vehicle travel down, parallel, and up the main slope direction. The vehicle was able to follow the two tracks, four times each, with a mean path tracking error of 6 cm and 7 cm respectively. The error never exceeded 35 cm, and in 90% of the observations it was less than 14 cm and 15 cm, respectively. This accuracy is well within the necessary tolerance for forestry operations. In fact, a human operator would probably have a hard time following the track more accurately. Hence, the developed systems function satisfactory when using previously demonstrated paths.

In the future we will challenge the studied system with additional conditions normally found in the forest work environment. In boreal forestry machinery must be able to function under tree canopy, in slippery slopes, in snow and in temperatures far below 0°C. Moreover, it is essential to evaluate the system's performance when carrying out its actual work; to transport logs. With the basic functionality of system granted, vehicle load and its effect on vehicle dynamics will be evaluated. The ultimate aim of future studies would be to contribute in the development of a forwarder that is not dependent on initial operator

guidance to find its path. For example, a path to pick up log piles with a forwarder can be automatically generated based on the harvester path and locations of the left piles. Regardless of how a suitable path is generated, a method like the one presented in this paper, is still required to guide the vehicle along the wanted path.

The study will be fully presented in an international scientific journal.

References

- Hellström, T., Lärkeryd, P., Nordfjell, T. and Ringdahl, O. (2009). Autonomous forest vehicles – envisioned and state of the art. *International Journal of Forest Engineering* 20(1): 31-38.
- Pilarski, T., Happold, M., Pangels, H., Ollis, M., Fitzpatrick, K. and Stentz, A. (2002). The Demeter System for Automated Harvesting. *Autonomous Robots* 13:9–20.
- Silversides, C.R. (1997). *Broadaxe to flying shear. The mechanization of forest harvesting east of the Rockies*. National Museum of Science and Technology. Transformation series 6. Ottawa, Canada. 174 pp.
- Sundberg, U. (1978). Teknik i skog. In: *Skogshögskolan 150 år. Problem och idéer i svenskt skogsbruk 1828-1978*. [Technology in the forest. In: The Royal College of Forestry 150 years. Problems and ideas in Swedish forestry 1828-1978]. Liber förlag. Stockholm Sweden. ISBN 91-7088-979-1. (In Swedish).